

## BOOSTane Marine ®

SDS Number:

Revision Date: 10/15/2015

Page 1 of 4

1

### PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** BOOSTane Marine ®  
**Revision Date:** 10/15/2015  
**CAS Number:** Blend

#### Company Identification

BOOSTane, LLC  
10981 Harmony Park Drive, Suite 5  
Bonita Springs , FL 34135

1-800-424-9300 (For emergencies)  
1-800-424-9300 or 1-703-527-3887 (CHEMTREC)

2

### HAZARDS IDENTIFICATION

GHS Signal Word:  
DANGER

GHS Hazard Pictograms:



GHS Classifications:

Physical, Flammable Liquids, 4  
Health, Specific target organ toxicity - Single exposure, 3  
Health, Serious Eye Damage/Eye Irritation, 2 B  
Health, Skin corrosion/irritation, 2  
Health, Carcinogenicity, 2  
Health, Aspiration hazard, 1

GHS Phrases:

H227 - Combustible liquid  
H336 - May cause drowsiness or dizziness  
H320 - Causes eye irritation  
H315 - Causes skin irritation  
H351 - Suspected of causing cancer  
H304 - May be fatal if swallowed and enters airways

GHS Precautionary Statements:

P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking  
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.  
P302+352 - IF ON SKIN: Wash with soap and water.  
P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do.  
Continue rinsing.

## BOOSTane Marine ®

SDS Number:

Revision Date: 10/15/2015

Page 2 of 4

### 3 COMPOSITION/INFORMATION ON INGREDIENTS

#### Ingredients:

| Chemical Name | Percentage | CAS#        |
|---------------|------------|-------------|
| Component A   | > 95.0     | Proprietary |
| Component B   | < 10.0     | Proprietary |
| Component C   | < 2.0      | Proprietary |
| Component D   | < 2.0      | Proprietary |
| Component E   | < 1.0      | Proprietary |

### 4 FIRST AID MEASURES

**Inhalation:** If symptoms develop, move victim to fresh air.  
If symptoms persist, obtain medical attention.

**Skin Contact:** Wash with soap and water.  
Remove contaminated clothing and wash before reuse.  
Get medical attention if needed.

**Eye Contact:** Flush with water for several minutes.  
If effects occur, consult a physician.

**Ingestion:** Rinse mouth with water and drink 2-4 cups of water.  
Get immediate medical attention.

Note to Physician:  
Activated charcoal may be administered.

### 5 FIRE FIGHTING MEASURES

**Flash Point:** 66 C (151 F)

**Flash Point Method:** PMCC

Use dry powder, foam, or carbon dioxide fire extinguishers.  
Water may be ineffective unless used by experienced fire fighters.

### 6 ACCIDENTAL RELEASE MEASURES

Eliminate sources of ignition - Heat, sparks, flame, and electricity  
Contain spilled material.  
Collect in suitable and properly labeled containers.  
Pick up excess with inert absorbant material  
Keep away from drains and ground water.

## BOOSTane Marine®

SDS Number:

Revision Date: 10/15/2015

Page 3 of 4

### 7 HANDLING AND STORAGE

**Handling Precautions:** Avoid contact with eyes, skin, or clothing.  
Keep away from sources of ignition.  
Do not pressurize, cut, weld, braze, solder, drill, or grind containers.  
Handle with care and avoid spillage on the floor (slippage).  
Ground and bond containers when transferring material

**Storage Requirements:** Keep away from sources of ignition.  
Store in a tightly closed container

### 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:** All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94).

**Personal Protective Equip:** Use of safety glasses and gloves are recommended.

Exposure Guidelines:

Component A  
OSHA TWA: 400 mg/m<sup>3</sup>  
Component B  
OSHA TWA: 50 mg/m<sup>3</sup>  
ACGIH TWA: 10 ppm  
Component C  
ACGIH TWA: 25 ppm  
Component D  
OSHA TWA: 5 mg/m<sup>3</sup>  
ACGIH TWA: 5 mg/m<sup>3</sup>  
Component E  
ACGIH TWA: 0.2 mg/m<sup>3</sup>

### 9 PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colorless to Slight Orange

**Physical State:** Liquid

**Solubility:** Nil in water

**Bulk Density:** 7.47 lbs/gal

### 10 STABILITY AND REACTIVITY

**Stability:** Product is stable under normal conditions.  
**Conditions to Avoid:** High temperatures above 50 C (122 F), sparks, and open flame.  
**Materials to Avoid:** Avoid strong oxidizing agents.  
May burn or react violently to flourine/oxygen mixtures.

## BOOSTane Marine®

SDS Number:

Revision Date: 10/15/2015

Page 4 of 4

### 11 TOXICOLOGICAL INFORMATION

Repeated skin contact with this product may cause dermatitis or an oil acne.  
No component is listed as a mutagen or teratogen.

#### SKIN EFFECTS:

Component A, no deaths reported at 4 ml/kg (Rat). Slightly irritating (rabbit, 4 hour(s)).

#### ACUTE ORAL EFFECTS:

Component A, LD50, 10 ml/kg in rats.

#### ACUTE INHALATION EFFECTS:

Component A, no deaths at 710 ppm (v) (Rat) 4 Hour (s).

### 12 ECOLOGICAL INFORMATION

Avoid exposing to the environment, no specific aquatic data available

### 13 DISPOSAL CONSIDERATIONS

Dispose of waste material in accordance with all local, state/provincial, and national requirements  
Do not flush to surface water or drains

### 14 TRANSPORT INFORMATION

UN #: NA 1993, Class: -, Proper Shipping Name: Combustible liquid, n.o.s.

If shipping overseas, or via air, the proper shipping name is: Environmentally hazardous substance, liquid, n.o.s., (petroleum distillates), 9, UN3082, PGIII.

### 15 REGULATORY INFORMATION

This material or all of its components are listed on the Inventory of Existing Chemical Substances under the Toxic Substances Control Act (TSCA).

### 16 OTHER INFORMATION

The information contained in this Safety Data Sheet relates only to the specific material designated. Intellineering LLC assumes no legal responsibility for use or reliance upon this data. This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Intellineering LLC.