

Safety Data Sheet

Issue Date: 20-Oct-2012 Revision Date: 28-May-2015 Version 1

1. IDENTIFICATION

Product Identifier

Product Name TCI MAX SHIFT RACE Automatic Transmission Fluid

Other means of identification

SDS # TCIMS004

Synonyms N/A

Recommended use of the chemical and restrictions on use

Recommended Use Automatic transmission fluid.

Details of the supplier of the safety data sheet

Supplier Address Warren Oil Company 915 E. Jefferson Ave. West Memphis, AR 72301

Emergency Telephone Number

Company Phone Number 1-870-400-3020

Emergency Telephone (24 hr) CHEMTREC 1-800-424-9300 (North America)

1-703-527-3887 (International)

2. HAZARDS IDENTIFICATION

AppearanceRed liquidPhysical StateLiquid at roomOdorPetroleum

temperature

Classification

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	90-100

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open.

Seek medical attention.

Skin Contact

No treatment is necessary under ordinary circumstances. Remove contaminated clothing. Wash contaminated area thoroughly with soap and water. If redness or irritation occurs and persists, seek medical attention. WARNING: Oil injected into the skin from high pressure leaking hydraulic systems can cause severe damage. Most damage occurs during the first few hours. Seek medical attention immediately. Surgical removal of oil may be necessary.

Revision Date: 17-Nov-2014

Inhalation Remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If

breathing is difficult give oxygen. Get medical attention.

Ingestion If swallowed, DO NOT induce vomiting because of danger of aspirating liquid into lungs.

Seek medical attention.

Most important symptoms and effects

SymptomsThis product is irritating to the eyes. This product may cause irritation to the skin. Prolonged

and/or repeated skin contact with this product may cause irritation/dermatitis. Inhalation of oil mists or fumes can cause irritation of the nose, throat and upper respiratory tract. Repeated and prolonged overexposure to oil mists may result in droplet deposition, oil granuloma formation, inflammation and increased incidence of infection. If this product is heated over 70 C (155 F) in the presence of water, hydrogen sulfide may be released. Hydrogen sulfide is irritating to the eyes and respiratory system. Continued overexposure may cause respiratory collapse, coma and death without necessarily any warning odor

being sensed.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical, foam, carbon dioxide, water fog.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Direct water spray or foam may cause frothing and spattering.

Hazardous Combustion Products Upon decomposition this product may yield oxides of boron, calcium, magnesium, phosphorous, zinc, sulfur including hydrogen sulfide and nitrogen as well as carbon monoxide, carbon dioxide and/or other low molecular weight hydrocarbons.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use water to cool fire-exposed containers and to protect personnel.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Persons not wearing protective equipment should be excluded from area of spill until clean-

up has been completed. Eliminate all sources of ignition or flammables that may come into contact with a spill of this material. Surfaces may become slippery after spillage. Wear appropriate protective equipment and clothing during clean-up. Do not allow the spilled

product to enter public drainage systems or open water courses.

Environmental Precautions See Section 12 for additional Ecological Information.

TCIMS003 - MAX SHIFT RACE ATF

Revision Date: 17-Nov-2014

Methods and material for containment and cleaning up

Stop the flow of material, if this is without risk. **Methods for Containment**

Methods for Clean-Up Absorb with non-flammable suitable absorbent such as sand or earth. Scoop up used

absorbent into drums or other appropriate container.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Avoid getting this material into contact with your eyes. Avoid prolonged or repeated skin

contact with this material. Avoid the generation of oil mists. Wash thoroughly after handling.

Use this product with adequate ventilation.

Conditions for safe storage, including any incompatibilities

Storage Conditions Do not store near heat, sparks, open flame or strong oxidizing agents. Do not store this

material in open or unlabeled containers. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of

ignition; they may explode.

Incompatible Materials This product may react with strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies

Appropriate engineering controls

Engineering Controls Use general ventilation and use local exhaust, where possible, in confined or enclosed

> spaces, If product is heated above 70 C (155 F) in the presence of water, hydrogen sulfide vapors may be released. Ventilation should be sufficient to keep hydrogen sulfide levels

below recommended exposure limits. Eye wash fountains are recommended.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear safety glasses. Wear chemical goggles or face shield if splash or mist occurs.

Skin and Body Protection Use impervious gloves for prolonged contact. Wear oil-impervious garments if contact is

unavoidable.

Respiratory Protection If mist is generated (heating, spraying) and engineering controls are not sufficient, wear

approved organic vapor respirator suitable for oil mist.

General Hygiene Considerations Use good hygiene when handling petroleum product. Launder contaminated clothing before

reuse. Excessive misting may cause slippery floors - wear appropriate footwear.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid at room temperature

Appearance Red liquid Odor Petroleum Color Red **Odor Threshold** Not determined

TCIMS003 - MAX SHIFT RACE ATF

Revision Date: 17-Nov-2014

Property Values Remarks • Method

pН

Not available **Melting Point/Freezing Point** Not applicable **Boiling Point/Boiling Range** Not available **Flash Point** 204 °C / 400 °F

Evaporation Rate Not determined

Flammability (Solid, Gas) Liquid-Not applicable

Upper Flammability Limits Not available **Lower Flammability Limit** Not available **Vapor Pressure** Not available Vapor Density Not available

Specific Gravity 0.86 at 15.6°C (60°F)

Water Solubility Negligible Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not available **Decomposition Temperature** Not determined **Kinematic Viscosity** Not available **Dynamic Viscosity** Not available **Explosive Properties** Not determined **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Cleveland Open Cup

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions to Avoid

Avoid formation of mists.

Incompatible Materials

This product may react with strong oxidizing agents.

Hazardous Decomposition Products

Decomposition of this product may yield oxides of boron, calcium, magnesium, nitrogen, phosphorus, sulfur including hydrogen sulfide and zinc as well as carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eves.

Skin Contact Avoid contact with skin.

Inhalation Do not inhale.

Ingestion Do not ingest.

TCIMS003 - MAX SHIFT RACE ATF Revision Date: 17-Nov-2014

Component Information

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Petroleum distillates,		5000: 96 h Oncorhynchus		1000: 48 h Daphnia magna
hydrotreated heavy paraffinic		mykiss mg/L LC50		mg/L EC50
64742-54-7		, ,		

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

<u>IMDG</u> Not regulated

Revision Date: 17-Nov-2014

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Petroleum distillates,	Present	X		Present		Present	Х	Present	Х	X
hydrotreated heavy paraffinic										

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated under applicable state right-to-know regulations

16. OTHER INFORMATION

Revision Date: 17-Nov-2014

NFPAHealth Hazards
0Flammability
1Instability
0Special Hazards
Not determinedHMISHealth Hazards
1Flammability
1Physical Hazards
0Personal Protection
Not determined

Issue Date:20-Oct-2012Revision Date:28-May-2015Revision Note:New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet