

2007-2013 CHEVY CREW CAB UNDERSEAT STORAGE

Congratulations on your purchase of the Rough Country Underseat Storage Box. The Underseat Storage Box gives you a place to store loose items and clutter, and ultimately help keep your vehicle organized.



TOOLS FOR EASY INSTALLATION:

- Marker or Grease Pencil (optional)
- Utility Knife (optional)

PLEASE READ: Rear cabin area must be free of debris and items prior to installation of Underseat Storage Box.



UNDERSEAT STORAGE BOX INSTALLATION



Lift the rear seat for installation of Underseat Storage Box.



Place the Underseat Storage Box as shown. Strap slots should face rear of vehicle. Front of Underseat Storage Box is taller than rear.



Loop one Safety Strap around metal loop located at underside of rear driver side seat.



Feed a Safety Strap through driver side slot in Underseat Storage Box. Thread one Buckle on one end of Safety Strap.



Feed other end of Safety Strap into Buckle and tighten.




Loop other Safety Strap between seat belt sheaths and through 1" hole in strut under rear passenger side seat as shown.



Feed Safety Strap through passenger side slot in Underseat Storage Box. Thread one Buckle on one end of Safety Strap.



Feed other end of Safety Strap into Buckle and tighten.



Install Foam Dividers in molded-in slots in Underseat Storage $\ensuremath{\mathsf{Box}}$.



CUTTING DIVIDERS TO STORE LONG ITEMS



If you want to store long items lengthwise in the Underseat Storage Box, lay the item in the Box (over the top of the dividers) in the position you would like to store it in. Alternately, you may remove the dividers and skip the next steps, however, items may shift in transit.



Use a marker or grease pencil to trace the width of the item on each Foam Divider. Remove item and trace the depth at which you would like the item to rest. NOTE: Cutouts should be fairly snug.



Use a utility knife to carefully cut the corresponding section out of each Foam Divider.



Lay long items in Underseat Storage Box as shown, pressing into the cutouts in the foam.

