


INSTALLATION INSTRUCTIONS PRO TRANS WHEEL-TO-WHEEL

APPLICATION:

2007-2015 Toyota Tundra D-Cab 6.5 ft Bed PART NUMBER: 21-534170, 21-534175

ITEM	QUANTITY	DESCRIPTION	TOOLS NEEDED
1,2	2	STEP BAR ASSEMBLY DRIVER/PASSENGER	13MM SOCKET
3	2	FRONT MOUNTING BRACKET	TORQUE WRENCH
4	2	MIDDLE MOUNTING BRACKET	RATCHET
5	2	REAR MOUNTING BRACKET	12MM SOCKET
6	12	M8 HEX HEAD CAP SCREW (YELLOW ZINC)	19MM SOCKET
7	12	M8 FLAT WASHER (YELLOW ZINC)	HEX KEY
8	12	M8 SPRING LOCK WASHER (YELLOW ZINC)	
9	12	M10 HEX BUTTON HEAD SOCKET CAP SCREW (BLACK ZINC)	
10	12	M10 FLAT WASHER (BLACK ZINC)	
11	12	M10 INTERNAL TOOTHED LOCK WASHER (BLACK ZINC)	

ANTI-SEIZE LUBRICANT MUST BE USED ON ALL STAINLESS STEEL FASTENERS TO PREVENT THREAD DAMAGE AND GALLING




PROCEDURE


- 1. Remove contents from box, verify if all parts listed are present and free from damage. Carefully read and understand all instructions before attempting installation.
 - Failure to identify damage before installation could lead to a rejection of any claim.
- 2. Start installation on the driver's side. On the rocker panel, find locations of factory bolts. Remove factory hardware and discard. (Note: Brackets will be installed in these locations with provided hardware.) See Fig. 1 & 2.
- 3. Locate Front, Middle, and Rear Mounting Brackets (Items 3, 4, 5). Using the supplied M8 hardware, loosely install the brackets to the rocker panel. **See Fig. 3, 4, & 5.** (Note: Item 5 has a notch to differentiate from Item 4. See image above.)
- 4. Locate the Driver Step Bar Assembly (Item 1) and align it with the brackets. See Fig. 6.
- 5. Loosely install the Driver Step Bar Assembly using supplied M10 hardware. See Fig. 7.
- 6. Align and adjust the step bar and brackets as necessary then tighten and torque all fasteners as follows: M8 to 20 ft-lbs, M10 30 ft-lbs.
- 7. Repeat for the passenger side.





Westin Automotive Products, Inc. 320 W. Covina Blvd San Dimas, Ca. 91773


ECO #: W15-0067






















CARE INSTRUCTIONS

- REGULAR WAXING IS RECOMMENDED. DO NOT USE ANY TYPE OF POLISH OR WAX THAT MAY CONTAIN ABRASIVES.
- STAINLESS STEEL PRODUCTS CAN BE CLEANED WITH MILD SOAP AND WATER. STAINLESS STEEL POLISH SHOULD BE USED TO POLISH SMALL SCRATCHES.
- GLOSS BLACK FINISHES SHOULD BE CLEANED WITH MILD SOAP AND WATER.

